

ASDI-500



Overview

ASDI-500 is a stationary fully automated diamond verification instrument designed to screen large quantities of colourless and near colourless loose stones at high speed. The instrument uses a robotic arm to physically separate diamonds from synthetic diamonds and diamond simulants. It is capable of handling stones down to 0.5mm in diameter.

The operator loads a parcel of loose polished stones into the ASDI-500. The parcel must have a size range tolerance of +/- 0.05mm. The instrument then automatically processes the stones and physically dispenses them into their respective categories:

- Diamond
 Refer
 Diamond Simulant
- 4) Not Analysed

Stones reporting to 'Refer' should be tested further, and may include potential synthetic diamonds and natural diamonds.

ASDI-500 runs a quick automated internal calibration before use.

Stone Testing Capabilities

Weight range:	0.001 ct to 0.2 ct (round brilliant)
Colour range:	D to J
Stone shape:	Round brilliant
Diamond simulants:	Yes
Mounted stones:	No

Instrument Capabilities

Automated feed:	Yes
Automated results:	Yes
Automated dispense:	Yes
Detect or Refer (synthetic diamonds):	Refer
Detect or Refer (diamond simulants):	Detect
Multiple stones at once:	Yes
Training required:	Yes

ASSURE 2.0 Performance

Key ASSURE 2.0 test results for the ASDI-500:

	Primary Loose	Smalls Loose	Ultra-Smalls Loose
Diamond False Positive Rate (Optimal rate 0%)	0.0% +/- 0.0%	0.0% +/- 0.0%	0.0%
Diamond Referral Rate (Optimal rate 0%)	12.8% +/- 1.3%	15.0% +/- 1.8%	15.7%
Diamond Accuracy Rate (Optimal rate 100%)	87.2% +/- 1.3%	85.0% +/- 1.8%	84.0%
Operating Speed Stones per hour	868 +/- 8		

Notes:

Uncertainty ranges (+/-) are based on repeatability testing (three trials) and represent spread of results in absolute terms.

Operating Speed for fully automated instruments is measured when operating at steady state.

See Laboratory Report for full set of performance results.

Instrument Specifications



Contact

UNIMEC SA

unimec@unimecsa.ch https://www.unimecsa.ch/ Tel: +41 32 924 00 55